GIMA Foetal Pocket Dopplers - Made in U.K.

Code 29502 GIMA FOETAL DOPPLER G2002
Small, lightweight, hight sensitivity pocket Doppler, with 2 MHz foetal probe, ideal for use by a General Practitioner or Midwife for routine antenatal foetal detection.
Pocket Doppler can be used to detect the beating foetal heart from about 10th week of gestation. It may be used to locate the position of the placenta, thus aiding in the early diagnosis of placenta praevia, to survey blood flow of the umbilical cord and to diagnose multiple pregnancies. Foetal signal are easily located using the lightweight narrow beam transducer while internal signal processing minimises noise artefacts. Audio foetal heart signals are available to the user via the built-in loudspeaker or option headset, with output level controlled by rotary volume control.
Code 29511 ON/OFF MEMBRANE SWITCH for code 29502

Code 29503 GIMA FOETAL DOPPLER D2003 with display
Pocket foetal doppler with same specification as code 29502 but with built-in foetal heart rate processing. Foetal heart rate (FHR) is displayed on a large LCD display whilst internal signal process minimises noise artefacts.
Code 29505 GIMA FOETAL DOPPLER D2005 with display and waterproof probe
Same as code 29503 but waterproof (probe and main unit). All units are supplied in a nice bag with a tube of coupling gel and user manual in English, Spanish, French, German, Italian, Greek, Portuguese.

Technical specification (codes 29502 - 29503 - 29505)

Ultrasound	Frequency: 2 MHz continuous wave
	Transducer: 2 crystal narrow beam
	Output power: <10mW/mm² SATA
	Audio Response 300Hz -1 KHz
	Fetal heart rate: multipoint real time autocorrelator (only code 29503 and 29505)
Unit Controls	Keys: 1 Key (for unit on/off)
	Controls : rotary volume
Indicators:	3 digit FHR LCD display (codes 25903, 29505)
	FHR pulse icon (codes 25903, 29505), Battery low icon
Power supply	Battery 9 V Alkaline Manganese
	Expected battery life: >6 hours (codes 29503, 29505)
	>9 hours (codes 29502)
Output	Headset: Audio output to optional headset
	Serial: RS232 interface (codes 29503, 29505)-jack 35 mm

Material:ABS / Noryl
Size 150 mm by 75 mm Weight: 295 g (with transducer)
Classification: Class I Type B - IEC 60601-I CE 0120
Warranty: 1 year Made in UK

Fetatrack Foetal Monitors - Made in U.K.

MANUFACTURED ACCORDING TO INTERNATIONAL STANDARD
CE 0120 ISO 13488 EN 46002

Code 29542 FETATRACK FOETAL MONITOR
Code 29543 FETATRACK TWINS FOETAL MONITOR
Traditional style cardiotocograph with aluminium robust case, manufactured in UK. Available in Single or Twins version.
Main features:
- High resolution chart recorder
- External UA
- Small portable unit, weighing under 6 kg
- Patient information block printed on chart (English, German, Italian, Spanish)
- Large, back lit LCD display for low light environments
- Digital autocorrelation provides accurate and reliable FHR traces

Technical specifications
Ultrasound
Frequencies: 1.8 and 2.1 MHz continuous wave
Transducer: Multi element wide angle
Audio response: 300 - 1 KHz
Range: 30 to 240 bpm
Power output: < 20mW/cm²
Toco
Transducer: Differential external pressure transducer
Response: 0-5Hz, Scale 0-100
Data Presentation
Strip chart recorder and graphic display module
Print head: 104 mm thermal solid state print head
Resolution: 8 dots/mm
Speeds: 1,2,3, cm/min
Paper: z-fold pre-printed chart scale
Paper type: Plain black thermal
Display: Alphanumeric LCD display
Keys: 6 keys (for paper start/stop, volume up, volume down, HR 1/2, toco zero and event)
Power supply
Operating voltage: 200-260 V or 100-130 V, selectable, 46-64 Hz, 60 VA

Standard accessories

Multicrystal transducer	Printer paper
Toco Transducer	Gel
Event marker	Belts

GIMA code	FETATRACK and PFM 1 Accessories
29544	Paper Pack
29546	Doppler Transducer US1 - 4 pin for 29540/1/2/3 - spare
29547	Toco Trasducer for 29540/1/2/3 - spare
29548	Doppler transducer US2 - 6 pin for 29541/3 - spare

Colour display, Single or Twins Foetal Monitors

Code 29530 SINGLE FOETAL MONITOR
Code 29531 TWINS FOETAL MONITOR

Superior data display
- 320x240 color LCD viewer (4.7 inch)
- FHR and automatic fetal movement detenction
- 12 hours of memory capacity

Extreme data accuracy and access
- High-accuracy and wide detection area
- Easy on-screen scrolling function
- Endurable watertight probes, 1 MHz

Printout
- Both standard and A4 size paper usable
- Normal fax paper usable
- High speed printout (50 cm/min)

Other advantages
- Wireless central monitoring up to 8 beds (Option)
- PC compatible
- Internal battery lasting 2-hours (Option)
- Power adaptor 100-240 V, 50-60 Hz



Trolley suitable for 29520, 29530 and 29531

Cost-effective single Foetal Monitor

Code 29520 FOETAL MONITOR GIMA FC 700
Cost-effective single fetal monitor

Extreme ultrasound doppler sensitivity
- High-accuracy with 1 Mhz frequency
- Automatic/manual Foetal Movement detection
- Auto NST (Non-stress test) function from 10 min. to 1 hour.

Data printout
- A4 size chart paper with perforation line
- Plain thermal fax paper usable
- Print speed 1, 2, 3 cm/min

Easy-to-use
- One- touch operation and easy setup
- Alarm function (FHR high-low)
- s/w upgrade via internet



Auto-detected foetal monitor on A4 size paper

Standard accessories (29520, 29530, 29531)
Doppler transducer (2 for Twins Foetal Monitor)
Toco transducer, Event maker, Gel, Printer paper, Belts, Manual

Technical specifications Foetal Monitors (29520, 29530, 29531)

Doppler
Pulsed Doppler
Ultrasound frequency: 1.0 MHz
Intensity: <10mW/cm²
FHR range: 50-240 bpm (± 1 bpm)

Fetal movement
Detection source: Ultrasound pulsed doppler

UC
Frequency response: DC 0.5 Hz
Reference (zero) control
Measurement range: 0~99 units

Printer
Thermal array type
Print speed: 1, 2, 3 cm/min
Paper feeding function

Display
7-segment LED (29520)
2 channels (HR, UC) (29520)
320x240 Colour LCD (29531)

Indicators
Heart rhythm with signal quality
Alarm, printing on/off state
AC power

Set-up
Alarm upper/low limit value
Record speed, paper grid, Fetal Movement On/Off, Time/Date, Print contrast, Auto print period

Power
INPUT: AC 100-240V (50/60 Hz)
296(W)x305.5(H) x 92.5(D)mm,
Approx 2.9kg (29520),
3.2kg (29530-29531)

External link
RS-232C: Program Download

For 29520	For 29530-31	Accessories for foetal monitors
29522	29528	Paper pack
29523	29532	Doppler transducer - spare
29524	29533	Toco transducer - spare
29519	29519	Trolley with 2 baskets (adjustable height)
-	29534	Battery NI-MH, 12V, 2600 mA
33747	33747	AC adaptor
29525	29525	Belt
For 29520	**For 29530-31**	**Network systems for foetal monitors**
29518	29518	Software + cable for connection to PC For real time data graphic transfert to a PC with database storing (PC not included)
29527	29527	Central station (PC, monitor, software, connection kit for 2 foetal m.) to manage up to 8 monitor (kit 29526) Same function as 29518
29526	29526	Connection kit to Central Stat. for each additional foetal monitor (up to 8 monitors)
-	29521	Wireless connection kit (foetal monitor to central station) for 1 monitor (up to max 8 monitors)





Wireless bluetooth 8 beds central system (distance 10-100 m)

Pregnancy Tests: Midstream and Strip Type

Box and manual in 6 languages
Italian, English, Spanish, French, Greek, Portuguese

Code 29104 HOME PREGNANCY TEST - midstream CE 0197
Deluxe box of one midstream test with multilingual manual.
Code 29107 HOME PREGNANCY TEST - midstream CE 0197
Box of two midstream tests with multilingual user manual.
Code 29108 DOCTOR PREGNANCY TEST - midstream CE
Box of 25 midstream tests. With multilingual user manual.

Personalised box - minimum 3,000 pcs.

Code 29100 HOSPITAL PREGNANCY TEST - strip 4 mm CE
Box of 50 strip tests, with multilingual manual (English, Italian, French, Spanish, Greek, Portuguese)
Main features of pregnancy tests:
- Each test is individually packed
- Very quick, some positive can be detected in 1 minute
- Reliability: 99%
- Sensibility: 25 mlU/ml

Menopause Test

Code 29109 MENOPAUSE TEST - midstream CE 0197
Deluxe box of two midstream tests with multilingual user manual and box (English, Spanish, French, Portuguese, Greek, German, Italian, Arabic).

Ovulation - Fertility Test

Code 29112 OVULATION TEST - midstream CE 0197
Deluxe box of 5 midstream test with multilingual user manual
Code 29113 OVULATION TEST - strip 4 mm CE
Box of 50 strip tests with multilingual user manual

Vaginitis Test Kit

The test includes:
1 test + vaginal swab + fluid specimen (buffer solution) in single box + English/Italian manual
CE



Code 29111 VAGINITIS TEST KIT
A unique, easy-to-use and revolutionary test for gynecologists and operators. Finds the causes of the inflammation/vaginal infection in just 10 minutes. It replaces traditional bacterial tests that take days and costs only a tenth. When necessary dilute vaginal fluid specimen in a buffer solution and then transfer to reagent pad. The instruction manual contains a result guide and can be used to recognize: Trichomoniasis, negative gram bacteria, Gardnerella, Chlamydia, serious bacterial vaginitis.

Vaginal Ph Test

Code 29110 VAGINAL PH TEST - box of 10 pcs.
Quick test to determine vaginal PH. An easy routine test to check vaginal PH in just 1 minute to make sure it is within the physiological limits (< 4.5).
An increase in the Ph level may indicate a change in the vaginal environment. This could mean there is a possible vaginitis. The test is ideal for pregnant women and for women with particular diseases such as diabetes.



The kit contains: CE
10 cotton swabs + 10 reagent pad in an individual box with user manual (English + Italian)

Amnioscope: tubes and set

Code 29970 AMNIOSCOPE SET
Set of three amnioscopes tubes with shutter 200 mm length, 12, 16 and 20 mm diameter, and a clamp for fibre optic light. All tubes are graduated in centimetres, have a rounded end and are sterilizable with any method. To light amnioscope set you can use GIMA 150 light source (code 30801), adapter (code 30830), F.O. cable (code 30818) and adapter for clamp (code 30840).
Code 29971 AMNIOSCOPE TUBE 12 x 24 x 200 mm
Code 29972 AMNIOSCOPE TUBE 16 x 24 x 200 mm
Code 29973 AMNIOSCOPE TUBE 20 x 24 x 200 mm
Code 29975 ANGLED CLAMP FOR LIGHT CONNECTION

Schultze Salpingograph

Code 29780 SALPINGOGRAPH CE 0124
Instrument for hystero-salpingography and tubal insufflation, Prof. Gunter K. F. Schultze from Berlin type. Made in Germany.

Hysterosalpingograph: standard accessories	
Watch for hystero	Hystero syringe 20 cc. Luer Lock
Rack-bar	3 interchangeable cones (small-medium-large)

Obstetric Stethoscopes

32501 SHORT OBSTETRIC STETHOSCOPE - beech-wood
32502 LONG OBSTETRIC STETHOSCOPE - beech-wood
These stethoscopes are hand-craft manufactured, made in beech-wood accurately selected and sesasoned for at least 3 years. They have a perfect finish with a special transparent varnish.
32505 PINARD STETHOSCOPE - aluminium

Latex Probe Covers

Code 29513 LATEX PROBE COVERS
For ecography and doppler probes.
Individually packed in single plasic bag.
minimum order: box of 50 pcs.

Pap Test Kits Ready for Use



Code 29700 PAP TEST KIT - sterile
Pap-Test is a painless examination to detect the presence of any anomalous cells on the cervix. It allows an early diagnosis of uterus neck cancer. The functional configuration of the kit allows a ready to go operation. The kit includes:one latex glove, one perno speculum (medium size), one GIMA brush, one Ayre spatula (wooden), two slides and one box for them.
Individually packed in sterile pouch. Made in Italy.

Code 29701 PAP TEST KIT - not sterile
Economic kit that includes: one GIMA brush, one Ayre spatula, one slide, all packed in a carton box specifically designed for laboratory delivery.
On the box there is a space to write the name of patient, date and other info.
minimum order: box of 25 kits

Disposable Sterile Vaginal Speculum





CUSCO SPECULUM - with gradual adjustment - sterile
Disposable speculum with gradual screw-action adjustment. It is manufactured with the best non-toxic transparent material, comes in a single transparent vacuum packing and is sterilized with ethylene oxide. Sterilization is guaranteed by the special quality control label on each pack. Available 3 sizes distinguishable through screw color. Made in Italy.

GIMA code	Vaginal Speculum disposable - sterile	Minimum order
29950	CUSCO Speculum - small 85 x 20 mm	120 pcs.
29951	CUSCO Speculum - medium 90 x 28 mm	120 pcs.
29952	CUSCO Speculum - large 100 x 36 mm	120 pcs.

PERNO SPECULUM - with central key adjustment
For dilation of the vaginal canal to expose the uterus neck. It allows the adjustment of the vaginal opening by positioning the blades and locking the central key. The smooth surface and rounded edges aid a comfortable introduction. The central key can be bent down for an easier introduction of cumbersome instruments 3 sizes distinguishable through key colour. Made in Italy.

GIMA code	Vaginal Speculum disposable - sterile	Minimum order
29954	PERNO Speculum - small Ø 20 mm	120 pcs.
29955	PERNO Speculum - medium Ø 26 mm	120 pcs.
29956	PERNO Speculum - large Ø 30 mm	120 pcs.

Stainless Steel Vaginal Speculum - Cusco and Collin

GIMA code	Stainless steel Speculum
29770	Cusco stainless steel speculum - small 100 x 30 mm
29771	Cusco stainless steel speculum - medium 110 x 34 mm
29772	Cusco stainless steel speculum - large 125 x 36 mm
29773	Cusco stainless steel speculum - virgin 110 x 17 mm
29763	HF Cusco stainless steel speculum - medium with insulation for HF applications
29768	Collin stainless steel speculum - medium
All speculum are individually packed in carton box	

Gynolight

Code 29962 GYNOLIGHT
It allows illumination of the vaginal canal. It fits both central key and side-screw specula. It is provided with two points light source for a proper illumination of the vaginal canal, and its upper point light source can be adjusted by the operator. It's easy to set and remove thanks to spring side-holders. Gynolight does not come into contact with mucosa. Cold sterilization.
Made in Italy.

Lubrigima: lubrificant gel

Code 29960 LUBRIGIMA - 250 ml
For an easy insertion of instruments during gyn examinations. Its special composition and high transparency does not alter the visual image when optical instruments are used. It does not contain spermicides, it does not grease or stain. It has an acid Ph and a good electrical conductivity. It is soluble in water. The gel is well absorbed by the skin and does not cause irritations to the mucosa.
Made in Italy.

minimum order: 6 pieces

Ayre Spatulae, GIMA Brush and Cotton Swabs



Code 29738 WALLACH PAPETTE
The logical choice for conventional PAP smears as well as the **new fluid-based technology**. With Wallach papette all it takes is a simple rotating motion to collect a total sampling endocervical and ectocervical cells, including the transformation zone, with less tissue trauma Mian o Mur methods. It is a simplified procedure that eliminates the two-steps brush and spatula combination. Made in USA.

minimum order: 1 box of 100 pcs.



Code 29739 GIMA BRUSH - conical - bag of 25 pcs.
Code 29740 GIMA BRUSH - conical - box of 400 pcs.
These single-use endocervical brushes are an efficient method of collecting vulval, endocervical and nasal surface samples for cytological/microbiological examinations. Non sterile. Packed in plastic bags of 25 units, in carton of 400 units.

minimum order: 400 pcs.

Code 29742 GIMA BRUSH - conical - STERILE
As code 29740, individually packed in sterile plastic bag.
Both codes are made in Italy

minimum order: 500 pcs.





GIMA code	Product	Material	Minimum order
29743	Ayre Spatula A	Wood	500 pcs.
	Packed in box of 100 pcs., in carton of 500		
29744	Ayre Spatula B	Wood	500 pcs.
	Packed in box of 100 pcs., in carton of 500		
29746	Ayre Spatula	Polyprophylene	400 pcs.
	Packed in plastic bags of 25 pcs,. in carton of 400		

GIMA code	Product	Shaft Material	Cotton Ø	Shaft lenght	Minimum order
29750	Cotton Swab	Plastic	1 cm	20 cm	400 pcs.
	Packed in plastic bags of 25 pcs., in carton of 400				
29754	Cotton Swab	Wood	0.5 cm	15 cm	1,000 pcs.
	Packed in plastic bags of 100 pcs., in carton of 500				
29755	Cotton Swab	Wood	2 cm	15 cm	1,000 pcs.
	Packed in plastic bags of 50 pcs., in carton of 500				

Spray for Citology Fixation and Accessories

Code 29778 GIMAFIX SPRAY FOR CITOLOGY FIXATION
Fixer for cytology. Composition: isopropanole, poly-ethylenglycole. It doesn't contain propellants destructive for the ozone.
250 cc bottle.

minimum order: 12 bottles

Code 29775 MICROSCOPE SLIDES
Size 76 x 26 mm, 1.2 mm thick, glass made with polished edges and sandblasted band

Code 29776 BOX FOR SLIDES
Plastic, transparent box for storage of up to three slides.



Cups for Hysterography and SIFT screw Syringe



GIMA code	CUPS FOR HYSTEROGRAPHY disposable - sterile	Minimum order
29920	Cups 25 mm	10 pcs.
29921	Cups 30 mm	10 pcs.
29922	Cups 35 mm	10 pcs.
29923	Cups connector - sterile	10 pcs.
29928	SIFT syringe for cups	10 pcs.

CUPS FOR HYSTEROGRAPHY
The device consists of a rigid, transparent tapered cup with a central conical cannula; it is equipped with a 25 cm long flexible, pliable manipulator joined to the cup and two tubes equipped with clamps. One of these provides the vacuum, while the other injects the radiopaque medium. Perfect adhesion to the cervix by self-centering is ensured by the tapered shape of the cup and the progressive application of a vacuum to the cup.
The suction cup/cannula unit is radiotransparent and allows the proximal area of the endocervix to be controlled. The radiologist is able to manipulate at a distance from the radioactive field while at the same time comfortably immobilizing the uterus.

SIFT SCREWTHREAD SYRINGE
Contrast medium is injected by turning the position of the syringe which is equipped with a thread, to enable easy and regular injection of the contrast medium.
If cup is used on our SIFT syringe, connector is not needed.

Pessary for Uterine Prolapse



Individually packed in carton box with English user manual

GIMA code	Rubber Pessaries
29964	Rubber Pessary Ø 65 mm
29965	Rubber Pessary Ø 70 mm
29966	Rubber Pessary Ø 75 mm
29967	Rubber Pessary Ø 80 mm

Amniocentesis Needles

For transabdominal sampling of amniotic fluid for prenatal diagnosis of genetic disorders of the foetus. It is also used for cytogenetic and biochemical studies. Accurate sharpening of the needle allows an easy and atraumatic insertion. Its mandrel is provided with an ultrasound detectable tip allowing an echo-guided insertion, and it is colour coded for an easy identification of the needle size. The needle is provided with an adjustable stopper to determine insertion depth, and with a female luer lock connector to collect the amniotic fluid through a syringe. Made in Italy.



GIMA code	Amniocentesis Needles - sterile
29630	Needle 20 G x 100 mm
29631	Needle 20 G x 120 mm
29632	Needle 20 G x 150 mm
29633	Needle 20 G x 180 mm
29634	Needle 21 G x 120 mm

CE 0373

Membrane Perforator

Code 29945 AMNIOTIC MEMBRANE PERFORATOR-sterile
Disposable amniotic perforator.This system is thought to be completely safe to avoid lesions to the foetus. Supplied in single sterile envelope. CE 0373 **minimum order: 600 pcs.**

HYSTEROMETER with slider - single use - sterile
Calibrated reading on the handle, flexible CE 0120

GIMA code	HYSTEROMETER single use - sterile	Minimum order
29930	Hysterometer CH 10	25 pcs.
29931	Hysterometer CH 12	25 pcs.
29932	Hysterometer CH 14	25 pcs.

Umbilical Cord Clamp



Extra safe clamp avoid accidental re-opening. Can be re-opened only by cutting back side

CE 0373

Code 29943 X-SAFE UMBILICAL CORD CLAMP - sterile
Disposable large size umbilical cord clamp to allow a proper clamping of all umbilical cords and prevent their outcoming from the closing comb. Individually packed in coupled cellophane (nylon/poliethilene) and medical paper to ensure safe hygienic conditions to user. Sterilized by ethylene oxide. Made in Italy.
Minimum order: 600 pcs.

Code 29944 UMBILICAL CORD CLAMP - sterile
Disposable umbilical cord clamp with side fasteners to avoid the outcoming of the umbilical cord from the closing comb. Supplied in single sterile envelope.Sterilisation by ethane oxide under high temperature.
minimum order: 600 pcs.

"Karman" and "Berkeley" style intrauterine suction curettes



GIMA code	"KARMAN" STYLE CURETTES flexible - single use - sterile	Minimum order
29810	Karman Curette N° 6 - 6 mm x 24 cm	10 pcs.
29811	Karman Curette N° 7 - 7 mm x 24 cm	10 pcs.
29812	Karman Curette N° 8 - 8 mm x 24 cm	10 pcs.
29813	Karman Curette N° 9 - 9 mm x 24 cm	10 pcs.
29814	Karman Curette N° 10 - 10 mm x 24 cm	10 pcs.
29815	Karman Curette N° 11 - 11 mm x 24 cm	10 pcs.
29816	Karman Curette N° 12 - 12 mm x 24 cm	10 pcs.





GIMA code	"BERKELEY" STYLE CURETTES curved - rigid - single use - sterile	Minimum order
29800	Berkeley Curette N° 7 - Ø 7 mm x 18.5 cm	10 pcs.
29801	Berkeley Curette N° 8 - Ø 8 mm x 18.5 cm	10 pcs.
29802	Berkeley Curette N° 9 - Ø 9 mm x 18.5 cm	10 pcs.
29803	Berkeley Curette N° 10 - Ø 10 mm x 18.5 cm	10 pcs.
29804	Berkeley Curette N° 11 - Ø 11 mm x 18.5 cm	10 pcs.
29805	Berkeley Curette N° 12 - Ø 12 mm x 18.5 cm	10 pcs.

Code 29918 SUCTION SYRINGE - one-way self-blocking
Special syringe with adaptor suitable for use with Karman and Berkeley curettes of any brand.
One-way self-blocking valve for safety and easier use.
Single use and sterile, 60 ml capacity. **minimum order: 10 pcs.**

Cannulas for endometrial sampling


Rounded tip for easy and smooth insertion with 1 hole
Endometrial sampler (mucus - sperm)
Anti-slip fingergrip
Graduation in cm for easy measurement of uterus length
CE 0373 FDA Approved
29825
Endometrial sampler for cytologic examination
CE 0373 FDA Approved
29830
Asimmetrical V shape blades tip with protrusions for sampling
29825

Code 29825 RAMPIPELLA 1 hole - disposable, sterile
For endometrial histologic sampling and sperm sampling in post-coital tests. It allows a painless and easy routine screening of the endometrium avoiding dilation and traction of the uterus neck.
External Ø 3.1 mm - length 24.5 cm
Single use, sterile. Made in Italy. **minimum order: 100 pcs.**

Code 29830 CERVIRAM - disposable, sterile **29830**
For cytologic endometrial sampling. It allows a painless and easy routine screening of the endometrium avoiding dilation and traction of the uterus neck. An outer sheath covers a mandrel with asymmetrical "V" shaped blades on the top. External Ø 3.5 mm - Length 26 cm **minimum order: 150 pcs.**

Uterine Manipulator

Code 29850 UTERINE MANIPULATOR - sterile
It is used for procedures where uterus manipulation and/or injection of contrast media is requested (e.g. diagnostic and operative laparoscopy, fertility examinations, etc.). It has a curved shape for an easy insertion and a stiff handle allowing a firm safe manipulation. Ext. Ø = 5 mm


Provided with a double lumen inner catheter with a measurement scale from 4 to 10 cm (1 cm resolution) to assess correct insertion depth.
CE 0373
29850

Silicone Suction Cup

Code 29980 SILICONE SUCTION CUP Ø 60x210 mm
Code 29981 SILICONE SUCTION CUP Ø 70x210 mm
Prodotto in silicone medicale

CE



Disposable rectoscope, proctoscope, anoscope

Code 25953 F.O. ILLUMINATION HEAD
This head perfectly fits and illuminates the disposable anoscopes, rectoscopes, proctoscopes for GIMA, HEINE, WELCH ALLYN, GPS. It can be connected to a light source by a F.O. cable or to a LED illumination system. See at page 92

Code 25950 DISPOSABLE ANOSCOPE - sterilized
Lenght 10 cm, with stylet diameter of 17 mm, suitable for treatment of haemorrhoids. **minimum order: pack 60 pcs.**

Code 25951 DISPOSABLE PROCTOSCOPE - sterilized
Lenght 16 cm, with stylet diameter of 17 mm **minimum order: pack 50 pcs.**

Code 25952 DISPOSABLE RECTOSCOPE - sterilized
Length 25 cm, with stylet diameter of 17 mm, scale in cm, illumination in distal exit thanks to the opaque black tube placed inside the transparent body which enables the light to shine without shadow. **minimum order: pack 50 pcs.**


25950 - *anoscope - 10 cm*


25951 - *proctoscope - 16 cm*


25952 - *rectoscope - 25 cm*



The disposable ano/recto/proctoscope are sold in a paper and nylon/polyethylene envelope sterilized in ethylene oxide.

30799

instrument side **30798** *F.O. side*

LIGHTING SYSTEMS
All products in this page are supplied with Acmi/Wolf light connection. To bring the light to these connection it is necessary to buy a Wolf adaptor (30841) a F.O. cable (30818-30826) a light source adaptor (30830) and a light source (30801-30802). See page 92.
To better hang the instruments during the use we suggest below handle that can be placed between the instrument and F.O. cable.
Code 30798 HANDLE for Ano/Procto/Rectoscope and Sigmoidoscopes
Alternatively you can choose a more economic solution, for illumination, inclusive of handle
Code 30799 ILLUMINATED HANDLE 6.0 VOLT - HALOGEN BULB
Works as an indipendent light source for F.O. instruments

F.O. Anoscopes, Proctoscopes



GIMA code	F.O. Anoscopes - Proctoscopes
29400	F.O. Anoscope Ø15x70 mm - with obturator - wolf/Acmi connector
29401	F.O. Anoscope Ø20x70 mm - with obturator - wolf/Acmi
29402	F.O. Anoscope Ø25x70 mm - with obturator - wolf/Acmi
29403	Set of 3 F.O. anoscopes with Wolf and Storz connector in a case
29405	F.O. Proctoscope Ø20x130 mm - with obturator with 2.0x
30844	Storz adaptor (to connect F.O. ano/procto to Storz cable)

F.O. Sigmoidoscopes



GIMA code	F.O. Sigmoidoscopes with 2.0 X magnification swivel lens
29410	F.O. Sigmoidoscope - 12x200 mm with Wolf/Acmi adaptor
29411	F.O. Sigmoidoscope - 16x250 mm with Wolf/Acmi adaptor
29412	F.O. Sigmoidoscope - 21x200 mm with Wolf/Acmi adaptor
29413	F.O. Sigmoidoscope - 21x250 mm with Wolf/Acmi adaptor
29414	F.O. Sigmoidoscope - 21x300 mm with Wolf/Acmi adaptor
30844	Storz adaptor (to connect sigmoidoscope to Storz cable)



GIMA code	S/S Accessories for F.O. Anoscopes, Proctoscopes, Sigmoidoscopes
29420	Handle for Biopsy forceps
29421	Biopsy forceps 3.5x8 mm. Cup Jaws - 420 mm
29422	Biopsy forceps 4 mm - Cutting Jaws - 420 mm
29425	Sponge Holding forceps - 400 mm
29426	Suction Tube - 400 mm
29427	Twin Bellow Insufflator



Code 29418 LLOYD - DAVIES SIGMOIDOSCOPES SET
Sigmoidoscope set is composed by one light chamber, with Acmi/Wolf adaptor, one adult tube Ø 20 x 300 mm, one boy tube Ø 16 x 250 mm, and one child tube Ø 10 x 75 mm, in a soft pouch. To light set you can use illuminated handle (code 30799) or Gima light source (30801), light source adapter (30830), F.O. cable (30818) and adapter (30841).

Gima Colposcope

Code 29600 COLPY - GIMA COLPOSCOPE
Easy to use halogen colposcope mounted on a 5 wheels base.

Technical specifications
Magnifying: 6.2X with standard 10X eyepieces
Optic system: stereo with inter-pupil adjustment and optic head at 45°
Illumination: halogen dicroic bulb 12V - 12W
Working distance: 26 cm
Operating voltage: 230 V (available on request 115)
Norms: CLASS I Type B - IEC 601-1 CE 93/42/EEC. Made in Italy

Code 29601 CAMERA CONNECTOR
To connect a camera with standard "C mount" to GIMA colposcope. (see cameras at page 93)

Video Colposcope system

Code 29605 NETSCOPE - COLPOSCOPE - 8X
All in one system for videocolposcopy applications: the system includes a CCD camera with integrated 150 watt light source, F.O. cable, ergonomic handle and colposcopy probe.
Main features:
- Excellent image quality
A microprocessor controls the brightness, resolution at 440,000 pixel gives a clear and sharp image. Optical part made in Germany
- Easy to use and handle
The ergonomic probe design and the trolley make the use of this device really easy
- High magnification
Fine adjustment for various applications by focus knob, without the necessity to change the lens
- Flexibiliy
This device can be turned into videodermatoscope or videotoscope, just by changing the probe.
Easy lamp replacement through door.



Image freeze function allows to freeze up to 4 images on the screen and immediatly review one of them in full screen size



Code 29610 IMAGE SOFTWARE
This software allows to store images and data in a PC database and print them (English language only)
Code 72705 LCD MEDICAL MONITOR - 15" - flat type
Code 29606 TROLLEY CART - easily fits Netscope and every kind of flat monitors compliant with VESA 75 standard.
Code 29607 FLEXIBLE ARM with stand - this arm is fixed on a tripod support and allows to hang the probe in fixed and stable position.



Technical specifications Netscope

Camera sensor: 1/3 CCD Sony	Cable length: 200 mm
Horizontal resolution: 480 lines	Minimum illumination: 0.5 lux
Digital signal processing	Power supply: 90-250 V - 50-60 Hz
ACG white balance: AUTO/FIXED	Basic unit size: 210x92x240 mm
Light intensity: adjustable 0-150 W	Weight: 3kg
Video out: Y/C (S-VHS), composit (BNC)	Made in Germany

Technical specifications Monitor code 72705
Display: 15"/38,1 cm
TFT active matrix
Active area: 304,1x228 mm
Resolution: 1024x784 (XGA)
Size: 375x356x210 mm

Videodermatoscope



20x magnification with a 15" monitor



Code 29608 VIDEODERMATOSCOPE PROBE - 20X
This probe added to our code 29605 turns the system into a videodermatoscope. Made in Germany.

Videotoscope

Code 29609 VIDEOTOSCOPE PROBE - Ø 4 mm - 0°
This probe added to our code 29605 turns the system into a videotoscope. Made in Germany.